



CorePro Plastic LEDbulbs

CorePro LEDbulb ND 13-100W A60 E27 830

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	1,521 lm
Color Designation	White (WH)
Luminous Efficacy (rated) (Nom)	117 lm/W
Correlated Color Temperature (Nom)	3000 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4

Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	13 W
Lamp Current (Nom)	105 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.54
Voltage (Nom)	220-240 V
Temperature	
Ambient temperature range	-20 °C to 45 °C
T-Case Maximum (Nom)	95 °C
Controls and Dimming	
Dimmable	No

CorePro Plastic LEDbulbs

Mechanical and Housing

Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A60

Approval and Application

Energy Efficiency Class	E
Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	1365425
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes


Application Conditions

can it be used in closed luminaires	No
-------------------------------------	----

Product Data


Order product name	CorePro LEDbulb ND 13-100W A60 E27 830
Full product name	CorePro LEDbulb ND 13-100W A60 E27 830
Full product code	872016916917300
Order code	16917300
Material Nr. (12NC)	929003607608
Net Weight (Piece)	0.045 kg
EAN/UPC - Product/Case	8720169169173
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169169180

Dimensional drawing




Product	D	C
CorePro LEDbulb ND 13-100W A60 E27 830	60 mm	120 mm

Photometric data




Light Distribution Diagram - CorePro LEDbulb ND 13-100W A60 E27 830



Spectral Power Distribution Colour - CorePro LEDbulb ND 13-100W A60 E27 830

CorePro Plastic LEDbulbs

Photometric data



General Uniform Lighting
1 x 1000mm x 100mm table
1 x 100W LED

General uniform lighting - CorePro LEDbulb ND 13-100W A60 E27 830

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - CorePro LEDbulb ND 13-100W A60 E27 830

