



# CorePro LEDspot MV



## Corepro LEDspot 730lm GU10 840 60D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E14 holder and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

### Product data

General Information	
Cap-Base	GU10
Nominal lifetime	25,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	60 degree(s)
Luminous Flux	730 lm
Luminous Intensity (Nom)	750 cd
Color Designation	Cool White (CW)
Luminous Efficacy (rated) (Nom)	108.00 lm/W
Correlated Color Temperature (Nom)	4000 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	730 lm
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4

Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	6.7 W
Lamp Current (Nom)	55 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	75 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Shape	PAR16

# CorePro LEDspot MV

## Approval and Application

Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	7 kWh
EPREL Registration Number	391940
Energy Efficiency Class	E
EyeComfort	Yes
EU RoHS compliant	Yes

## Application Conditions


can it be used in closed luminaires	No
-------------------------------------	----

## Product Data

Order product name	Corepro LEDspot 730lm GU10 840 60D
--------------------	------------------------------------



Full product name	Corepro LEDspot 730lm GU10 840 60D
Full product code	871869681335501
Order code	81335501
Material Nr. (12NC)	929002466802
Net Weight (Piece)	0.062 kg
EAN/UPC - Product/Case	8718696813355
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696813362

## Dimensional drawing



Product	D	C
Corepro LEDspot 730lm GU10 840 60D	50 mm	54 mm

## Photometric data




Accent Lighting Spots - Corepro LEDspot 730lm GU10 840 60D

Light Distribution Diagram - Corepro LEDspot 730lm GU10 840 60D

# CorePro LEDspot MV

## Photometric data



Spectral Power Distribution Colour - Corepro LEDspot 730lm GU10 840 60D

## Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - Corepro LEDspot 730lm GU10 840 60D

