



PROMONT
K O M E R C

www.promont.rs

Niš 18000, Dimtrija Tucovića bb

tel: 018 4212-011 :: 4210-152

tel: 018 4567-110 :: 4567-115

fax: 018 4211-818

P.J. Beograd: 011 414-1462

P.J. Novi Sad: 021 662-4484

P.J. Požega: 063 106-3559

Katalog ELEKTRO osvetljenja



 ELEKTRO

LED SIJALICE (Standard)

Ušteda 86% energije
Ne sadrži živu
Ne emituje UV i IR svetlo



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	CCT (K)	CRI	Radno vreme (sati)	Osnova
EKTWM079.	220-240	9W	800	3000	≥80	25000	E27
EKTWM079,	220-240	9W	800	6500	≥80	25000	E27
EKTWM080	220-240	11W	1060	3000	≥80	25000	E27

LED SIJALICE



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	Dimenzija (mm)	CCT (K)	CRI	Radno vreme (sati)	Osnova
EKTWM010	220-240	5W	470	Φ38*108	3000	≥80	25000	E14
EKTWM011	220-240	5W	470	Φ45*79	3000	≥80	25000	E14
EKTWM012	220-240	5W	470	Φ45*79	3000	≥80	25000	E27

LED SPOT SIJALICE (COB)

Ušteda 86% energije
Ne sadrži živu
Ne emituje UV i IR svetlo



Kod	Napon (V)	Snaga (W)	Ugao isijavanja (°)	Osvetljaj (lm)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm)	Osnova	Dimabilna
EKTWM102	240V	5W	60	380	3000K	≥80	25000	Φ50*54	E27	ne
EKTWM103	240V	7W	60	500	3000K	≥80	25000	Φ50*54	E27	ne

LED SPOT SIJALICE (SMD)

Ušteda 86% energije
Ne sadrži živu
Ne emituje UV i IR svetlo



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	Ugao isijavanja (°)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija Φ *L(mm)	Osnova	Dimabilna
EKTWM104	240V	3W	240lm	60°	3000	≥80	20000	Φ50x58	GU10	ne
EKTWM105	240V	5W	300lm	60°	3000	≥80	20000	Φ50x57	GU10	ne
EKTWM106	240V	5W	300lm	60°	3000	≥80	20000	Φ50x57	GU5.3	ne
EKTWM002	240V	5W	300lm	60°	6500	≥80	25000	Φ50x54	GU10	ne

LED KAPSULA G9

Karakteristike:
Telo: PC + aluminium
94% ušteda energije
Boja svetlosti 3000K
Odlična zamena za tradicionalne halogene sijalice



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	Ugao isijavanja (°)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija Φ *L(mm)	Osnova	Dimabilna
EKTWM001	230V	4W	300lm	180°	3000K	≥80	25000h	Φ23*65	G9	ne

LED CEV

Inovativni dizajn sa 320° vidljivosti
Nova tehnologija sa visokim lumenom
Odlična zamena za fluorescentne cevi
Bez treperenja svetlosti



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	Ugao isijavanja (°)	CCT (K)	Radno vreme (sati)	Dimenzija (mm)	CRI
EKTWM115	220-240V	9W	750	320	4000K	25000	Φ26*600	≥80
EKTWM004	220-240V	9W	750	320	6500K	25000	Φ26*600	≥80
EKTWM116	220-240V	18W	1500	320	4000K	25000	Φ26*1200	≥80
EKTWM005	220-240V	18W	1500	320	6500K	25000	Φ26*1200	≥80

LED DOWNLIGHTER

Okrugli ultra tanki



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	Ugao isijavanja (°)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm) i otvor
EKTWM110	85-265V	18W	1250	120	2700K	≥70	25000	Φ225*21 Φ200
EKTWM111	85-265V	18W	1250	120	6500K	≥70	25000	Φ225*21 Φ200

LED DOWNLIGHTER

Četvrtasti ultra tanki



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	Ugao isijavanja (°)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm) i otvor
EKTWM112	85-265V	24W	1600	120	2700K	≥70	25000	300*300*21 ∅280x280
EKTWM113	85-265V	24W	1600	120	6500K	≥70	25000	300*300*21 ∅280x280

Nadgradni četvrtasti panel

Karakteristike:

LDLN 18W

Telo: PC diffuser + beli aluminijum (hladnjak)



Kod	Snaga (W)	Osvetljaj (lm)	Dimenzija (mm)	Radni napon (V)	Ra	CCT (K)	Ugao osvetljaja (°)
EKTWM008	18W	1250 lm	227*227*35	85-265V	>70	2700K	120
EKTWM009	18W	1350 lm	227*227*35	85-265V	>70	6500K	120

LED COB DOWNLIGHTER



Kod	Napon (V)	Snaga (W)	Ugao isijavanja (°)	Osvetljaj (lm)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm)	Osnova
EKTWM084	85-265V	5W	24	350	3000K	≥70	25000	Φ86*55	Φ75

LED DOWNLIGHT COB



Kod	Napon (V)	Snaga (W)	Ugao isijavanja (°)	Osvetljaj (lm)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm)	Osnova
EKTWM107	85-265V	20W	120	1400	4000K	≥70	25000	Φ195x80	Φ175
EKTWM108	85-265V	25W	120	1750	4000K	≥70	25000	Φ225x80	Φ205
EKTWM109	85-265V	30W	120	2100	4000K	≥70	25000	Φ225x80	Φ205

LED PANEL

Karakteristike:

Odlična zamena za tradicionalne svetiljke sa rasterom

Ultra tanak dizajn za različite instalacije

Uniformno osvetljenje bez treperenja

Telo: aluminijum

PMMA LGP+PP diffuser ploča



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	Ugao isijavanja (°)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm)
EKTWM114	100-240V	36W	3000	150°	6500	≥80	25000	595*595*10
EKTWM003	100-240V	36W	3000	150°	4000	≥80	25000	595*595*10

Kit za nadgradnju 600x600x10

Komplet za visilicu 600x600x10



LED REFLEKTORI



Kod	Napon (V)	Snaga (W)	Osvetljaj (Lm)	Ugao isijavanja (°)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm)
EKTWM081	240V	10W	500	100	6500K	≥70	25000	115*90*80
EKTWM082	240V	20W	1000	100	6500K	≥70	25000	180*140*110
EKTWM083	240V	30W	1500	100	6500K	≥70	25000	225*185*110

ŠTEDNE SIJALICE



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	CCT (K)	CRI	Radno vreme (sati)	Osnova
EKTWM006	230	15	745	2700	≥82	10000	E27
EKTWM007	230	15	745	6500	≥82	10000	E27
EKTWM119	230	20	1080	2700	≥82	10000	E27
EKTWM120	230	20	1080	6500	≥82	10000	E27
EKTWM121	230	23	1140	2700	≥82	10000	E27
EKTWM122	230	23	1140	6500	≥82	10000	E27
EKTWM123	230	25	1250	6500	≥82	10000	E27

2D KOMPAKT SIJALICE



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	CCT (K)	CRI	Radno vreme (sati)	Dimenzija (mm)	Osnova
EKTWM100	220-240V	16W	960	4000K	≥70	10000	200x203x20 Φ13	GR8Q
EKTWM101	220-240V	28W	1764	4000K	≥70	10000	200x203x20 Φ13	GR10Q

METAL-HALOGENE Sijalice



Kod	Napon (V)	Snaga (W)	Osvetljaj (lm)	CCT (K)	CRI	Radno vreme (sati)	Osnova
EKTWM117	220-240V	250W	18500	4200K	≥70	15000	E40
EKTWM118	220-240V	400W	32000	4200K	≥70	15000	E40

SIJALICE



Kod	Oblik	Tip	Snaga (W)	Osnova	Osvetljaj (lm)	Radno vreme (sati)
EKTWM067	A55	Bistra	25	E27	180	1000
EKTWM068	A55	Bistra	40	E27	410	1000
EKTWM069	A55	Bistra	60	E27	700	1000
EKTWM070	A55	Bistra	75	E27	930	1000
EKTWM071	A55	Bistra	100	E27	1330	1000
EKTWM072	A55	Bistra	150	E27	2160	1000
EKTWM073	A55	Bistra	200	E27	3040	1000

SIJALICE



Kod	Oblik	Tip	Snaga (W)	Osnova	Osvetljaj (lm)	Radno vreme (sati)
EKTWM085	Sveća	Bistra	25	E14	180	1000
EKTWM086	Sveća	Bistra	40	E14	360	1000
EKTWM087	Sveća	Bistra	60	E14	500	1000

SIJALICE



Kod	Oblik	Tip	Snaga (W)	Osnova	Osvetljaj (lm)	Radno vreme (sati)
EKTWM089	Kugla	Bistra	25	E14	180	1000
EKTWM091	Kugla	Bistra	40	E14	360	1000
EKTWM093	Kugla	Bistra	60	E14	500	1000
EKTWM095	Kugla	Mat	25	E14	180	1000
EKTWM097	Kugla	Mat	40	E14	360	1000
EKTWM099	Kugla	Mat	60	E14	500	1000

SIJALICE



EKTWM088	Kugla	Bistra	25	E27	180	1000
EKTWM090	Kugla	Bistra	40	E27	360	1000
EKTWM092	Kugla	Bistra	60	E27	500	1000
EKTWM094	Kugla	Mat	25	E27	180	1000
EKTWM096	Kugla	Mat	40	E27	360	1000
EKTWM098	Kugla	Mat	60	E27	500	1000

HALOGENI REFLEKTORI



Kod	Snaga (W)	Halogena ampula	Senzor pokreta	Boja
EKTHL125	120	da	ne	crna
EKTHL126	120	da	ne	bela
EKTHL127	150	da	da	crna
EKTHL128	150	da	da	bela
EKTHL129	400	da	ne	crna
EKTHL130	400	da	ne	bela
EKTHL131	400	da	da	crna
EKTHL132	400	da	da	bela

Zidne svetiljke



Kod	Tip	Snaga (W)	Boja	Osnova
EKTHL133	Zidna-plafonska	60	crna	E27
EKTHL134	Zidna-plafonska	60	bela	E27
EKTHL135	Zidna-plafonska	60	siva	E27

Brodске svetiljke



EKTHL136	Brodсka	60	crna	E27
EKTHL137	Brodсka	60	bela	E27
EKTHL138	Brodсka	60	siva	E27